



ORAL PRESENTATION

Open Access

Tumor-infiltrating lymphocytes predict cutaneous melanoma survival

Cristina Fortes^{1*}, Simona Mastroeni¹, Thomas Manooranparanpampil¹, Francesca Passarelli², Alba Zappalà³, Claudia Marino⁴, Nicoletta Russo⁵, Paola Michelozzi⁴

From Melanoma Bridge Meeting 2014
Naples, Italy. 03-06 December 2014

Background

Tumor-infiltrating lymphocytes (TILs) is considered a manifestation of the host immune response to tumor, but the role of TILs on melanoma mortality is controversial. Therefore, the aim of this study was to investigate the role of TILs on melanoma mortality, controlling for all known histological prognostic parameters.

Materials and methods

We conducted a 10-year cohort study among 4143 patients from the same geographic area (Lazio) with primary cutaneous melanoma diagnosed between January 1998 and December 2008. Survival probability was determined by Kaplan–Meier estimates, and prognostic factors were evaluated by multivariate analysis (Cox proportional hazards model).

Results

Survival decreased with increasing age (P for trend < 0.001) and Breslow thickness (P for trend < 0.001). In the multivariate Cox model, the presence of high levels of tumour infiltrating immune cells in primary invasive melanomas was associated with lower risk of melanoma death (RR: 0.32; 95%CI:0.13-0.82, P for trend <0.001), after controlling for sex, age, breslow thickness, histological type, mitotic rate and ulceration.

Conclusions

These results suggest that immune microenvironment affects melanoma survival. Understanding differences in survival across distinct subgroups of melanoma patients may help choosing types of therapy.

Authors' details

¹Epidemiology Unit, IDI-IRCCS, Rome, Italy. ²Pathology Unit, IDI-IRCCS, Rome, Italy. ³Oncology Unit, IDI-IRCCS, Rome, Italy. ⁴Department of Epidemiology of the Regional Health Service, Rome, Italy. ⁵Medical Direction, IDI-IRCCS, Rome, Italy.

Published: 15 January 2015

doi:10.1186/1479-5876-13-S1-O9

Cite this article as: Fortes et al.: Tumor-infiltrating lymphocytes predict cutaneous melanoma survival. *Journal of Translational Medicine* 2015 13(Suppl 1):O9.

Submit your next manuscript to BioMed Central
and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



¹Epidemiology Unit, IDI-IRCCS, Rome, Italy

Full list of author information is available at the end of the article